

# TADANO FAUN



## ATF 100G-4



Maße (mm)  
Dimensions (mm)  
Dimensiones (mm)




Hubhöhen  
Lifting heights  
Hauteurs de levage  
Alturas de elevación





22.5t



DIN/ISO/EN



Tragfähigkeiten  
Lifting capacities  
Capacités de levage  
Capacidades de elevación

|    <b>22.5t</b> <div>DIN/ISO/EN</div> |         |        |        |        |        |        |        |        |        |        |        |        |        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|  m                                                                                                                                                                                                      | 11.1 m* | 11.1 m | 14.8 m | 18.5 m | 22.1 m | 25.8 m | 29.5 m | 33.2 m | 36.9 m | 40.5 m | 44.2 m | 47.9 m | 51.2 m |
| 2.3                                                                                                                                                                                                                                                                                      | 100.0   |        |        |        |        |        |        |        |        |        |        |        |        |
| 2.5                                                                                                                                                                                                                                                                                      | 90.0    |        |        |        |        |        |        |        |        |        |        |        |        |
| 3.0                                                                                                                                                                                                                                                                                      | 81.6    | 76.1   | 65.0   | 65.0   |        |        |        |        |        |        |        |        |        |
| 3.5                                                                                                                                                                                                                                                                                      | 74.6    | 69.9   | 65.0   | 65.0   | 50.0   |        |        |        |        |        |        |        |        |
| 4.0                                                                                                                                                                                                                                                                                      | 68.3    | 64.1   | 63.5   | 61.4   | 50.0   | 41.3   |        |        |        |        |        |        |        |
| 4.5                                                                                                                                                                                                                                                                                      | 62.7    | 59.0   | 58.5   | 56.7   | 50.0   | 41.3   |        |        |        |        |        |        |        |
| 5.0                                                                                                                                                                                                                                                                                      | 57.8    | 54.6   | 54.0   | 52.7   | 50.0   | 39.2   | 31.6   |        |        |        |        |        |        |
| 6.0                                                                                                                                                                                                                                                                                      | 50.0    | 47.2   | 46.6   | 46.8   | 45.9   | 34.9   | 31.6   | 23.8   |        |        |        |        |        |
| 7.0                                                                                                                                                                                                                                                                                      | 42.5    | 41.2   | 40.7   | 40.8   | 40.8   | 33.0   | 28.9   | 23.8   | 19.7   | 15.8   |        |        |        |
| 8.0                                                                                                                                                                                                                                                                                      | 36.6    | 35.5   | 35.4   | 35.5   | 35.8   | 31.1   | 28.5   | 23.8   | 19.7   | 15.8   | 12.9   |        |        |
| 9.0                                                                                                                                                                                                                                                                                      | 24.9    | 24.0   | 31.2   | 31.4   | 31.6   | 29.4   | 28.5   | 22.6   | 19.7   | 15.8   | 12.9   | 10.2   |        |
| 10.0                                                                                                                                                                                                                                                                                     |         |        | 26.7   | 26.9   | 27.3   | 28.0   | 27.0   | 20.9   | 19.6   | 15.8   | 12.9   | 10.2   | 8.9    |
| 11.0                                                                                                                                                                                                                                                                                     |         |        | 22.7   | 23.4   | 24.7   | 24.9   | 24.0   | 19.4   | 18.2   | 15.8   | 12.9   | 10.2   | 8.9    |
| 12.0                                                                                                                                                                                                                                                                                     |         |        | 20.0   | 21.9   | 21.9   | 21.7   | 21.3   | 18.0   | 17.0   | 15.8   | 12.9   | 10.2   | 8.9    |
| 14.0                                                                                                                                                                                                                                                                                     |         |        |        | 17.2   | 17.3   | 17.0   | 16.6   | 16.2   | 14.9   | 14.1   | 12.9   | 10.2   | 8.9    |
| 16.0                                                                                                                                                                                                                                                                                     |         |        |        | 14.0   | 14.1   | 13.8   | 13.4   | 13.9   | 13.0   | 12.6   | 11.8   | 10.2   | 8.9    |
| 18.0                                                                                                                                                                                                                                                                                     |         |        |        |        | 11.7   | 11.5   | 11.1   | 11.5   | 11.7   | 10.8   | 10.8   | 10.0   | 8.9    |
| 20.0                                                                                                                                                                                                                                                                                     |         |        |        |        | 9.2    | 9.7    | 9.3    | 9.7    | 9.9    | 9.5    | 9.5    | 9.1    | 8.5    |
| 22.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        | 8.3    | 8.4    | 8.3    | 8.5    | 8.6    | 8.4    | 8.1    | 7.6    |
| 24.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        | 7.8    | 7.2    | 7.7    | 7.4    | 7.3    | 7.0    | 6.9    |
| 26.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        | 6.9    | 6.5    | 6.7    | 6.5    | 6.3    | 6.0    | 6.0    |
| 28.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        |        | 6.0    | 5.9    | 5.7    | 5.5    | 5.2    | 5.2    |
| 30.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        |        | 5.3    | 5.2    | 5.0    | 4.8    | 4.5    | 4.5    |
| 32.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        |        |        | 4.7    | 4.4    | 4.3    | 3.9    | 3.9    |
| 34.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        |        |        | 4.2    | 3.9    | 3.7    | 3.4    | 3.4    |
| 36.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        |        |        |        | 3.5    | 3.3    | 3.0    | 3.0    |
| 38.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        |        |        |        | 3.1    | 2.9    | 2.6    | 2.6    |
| 40.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        |        |        |        |        | 2.6    | 2.2    | 2.2    |
| 42.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        |        |        |        |        | 2.3    | 1.9    | 1.9    |
| 44.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        |        |        |        |        |        | 1.7    | 1.6    |
| 46.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        |        |        |        |        |        |        | 1.4    |
| 48.0                                                                                                                                                                                                                                                                                     |         |        |        |        |        |        |        |        |        |        |        |        | 1.2    |


\* Nach hinten / \* Over rear / \* A l'arrière / \* Sobre la parte trasera

|    <b>16.3t</b> <div>DIN/ISO/EN</div> |         |        |        |        |        |        |        |        |        |        |        |        |        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|  m                                                                                                                                                                                                          | 11.1 m* | 11.1 m | 14.8 m | 18.5 m | 22.1 m | 25.8 m | 29.5 m | 33.2 m | 36.9 m | 40.5 m | 44.2 m | 47.9 m | 51.2 m |
| 2.3                                                                                                                                                                                                                                                                                            | 100.0   |        |        |        |        |        |        |        |        |        |        |        |        |
| 2.5                                                                                                                                                                                                                                                                                            | 90.0    |        |        |        |        |        |        |        |        |        |        |        |        |
| 3.0                                                                                                                                                                                                                                                                                            | 81.6    | 76.3   | 65.0   | 65.0   |        |        |        |        |        |        |        |        |        |
| 3.5                                                                                                                                                                                                                                                                                            | 74.0    | 69.4   | 65.0   | 65.0   | 50.0   |        |        |        |        |        |        |        |        |
| 4.0                                                                                                                                                                                                                                                                                            | 67.5    | 63.5   | 63.0   | 61.4   | 50.0   | 41.3   |        |        |        |        |        |        |        |
| 4.5                                                                                                                                                                                                                                                                                            | 61.9    | 58.3   | 57.8   | 56.7   | 50.0   | 41.3   |        |        |        |        |        |        |        |
| 5.0                                                                                                                                                                                                                                                                                            | 57.1    | 53.8   | 53.3   | 52.7   | 50.0   | 39.2   | 31.6   |        |        |        |        |        |        |
| 6.0                                                                                                                                                                                                                                                                                            | 47.9    | 46.4   | 45.9   | 46.0   | 45.9   | 34.9   | 31.6   | 23.8   |        |        |        |        |        |
| 7.0                                                                                                                                                                                                                                                                                            | 40.4    | 39.7   | 39.2   | 39.3   | 38.5   | 33.0   | 28.9   | 23.8   | 19.7   | 15.8   |        |        |        |
| 8.0                                                                                                                                                                                                                                                                                            | 34.5    | 34.6   | 33.6   | 33.3   | 32.0   | 31.1   | 28.5   | 23.8   | 19.7   | 15.8   | 12.9   |        |        |
| 9.0                                                                                                                                                                                                                                                                                            | 24.9    | 24.0   | 27.1   | 27.3   | 28.1   | 28.0   | 26.4   | 22.6   | 19.7   | 15.8   | 12.9   | 10.2   |        |
| 10.0                                                                                                                                                                                                                                                                                           |         |        | 22.4   | 24.7   | 25.0   | 24.4   | 23.1   | 20.9   | 19.6   | 15.8   | 12.9   | 10.2   | 8.9    |
| 11.0                                                                                                                                                                                                                                                                                           |         |        | 20.8   | 21.4   | 21.4   | 21.2   | 20.4   | 19.2   | 18.2   | 15.8   | 12.9   | 10.2   | 8.9    |
| 12.0                                                                                                                                                                                                                                                                                           |         |        | 18.1   | 18.6   | 18.6   | 18.4   | 18.0   | 17.8   | 16.6   | 15.8   | 12.9   | 10.2   | 8.9    |
| 14.0                                                                                                                                                                                                                                                                                           |         |        |        | 14.5   | 14.6   | 14.3   | 13.9   | 14.4   | 14.0   | 13.3   | 12.9   | 10.2   | 8.9    |
| 16.0                                                                                                                                                                                                                                                                                           |         |        |        | 11.7   | 11.9   | 11.5   | 11.2   | 11.6   | 11.8   | 11.1   | 11.0   | 10.2   | 8.9    |
| 18.0                                                                                                                                                                                                                                                                                           |         |        |        |        | 10.2   | 9.7    | 10.1   | 9.5    | 9.9    | 9.8    | 9.7    | 9.4    | 8.9    |
| 20.0                                                                                                                                                                                                                                                                                           |         |        |        |        | 8.6    | 8.6    | 8.7    | 8.4    | 8.5    | 8.3    | 8.1    | 7.8    | 7.8    |
| 22.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        | 7.4    | 7.5    | 7.3    | 7.3    | 7.0    | 6.9    | 6.6    | 6.5    |
| 24.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        | 6.5    | 6.3    | 6.3    | 6.0    | 5.9    | 5.5    | 5.5    |
| 26.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        | 5.7    | 5.5    | 5.4    | 5.2    | 5.0    | 4.7    | 4.7    |
| 28.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        |        | 4.8    | 4.7    | 4.4    | 4.3    | 4.0    | 4.0    |
| 30.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        |        | 4.2    | 4.1    | 3.8    | 3.7    | 3.4    | 3.4    |
| 32.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        |        |        | 3.6    | 3.3    | 3.2    | 2.9    | 2.8    |
| 34.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        |        |        | 3.2    | 2.9    | 2.7    | 2.4    | 2.4    |
| 36.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        |        |        |        | 2.5    | 2.3    | 2.0    | 2.0    |
| 38.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        |        |        |        | 2.2    | 2.0    | 1.7    | 1.7    |
| 40.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        |        |        |        |        | 1.7    | 1.4    | 1.4    |
| 42.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        |        |        |        |        | 1.4    | 1.1    | 1.1    |
| 44.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        |        |        |        |        |        | 0.9    | 0.8    |
| 46.0                                                                                                                                                                                                                                                                                           |         |        |        |        |        |        |        |        |        |        |        |        | 0.6    |

\* Nach hinten / \* Over rear / \* A l'arrière / \* Sobre la parte trasera





Hubhöhen  
Lifting heights  
Hauteurs de levage  
Alturas de elevación



Tragfähigkeiten  
Lifting capacities  
Capacités de levage  
Capacidades de elevación




|  m | 11.1 m + 10.0 m |      |     | 33.2 m + 10.0 m |     |     | 47.9 m + 10.0 m |     |     | 51.2 m + 10.0 m |     |     |
|-------------------------------------------------------------------------------------|-----------------|------|-----|-----------------|-----|-----|-----------------|-----|-----|-----------------|-----|-----|
|                                                                                     | 0°              | 20°  | 40° | 0°              | 20° | 40° | 0°              | 20° | 40° | 0°              | 20° | 40° |
| 3.0                                                                                 | 12.2            |      |     |                 |     |     |                 |     |     |                 |     |     |
| 3.5                                                                                 | 12.2            |      |     |                 |     |     |                 |     |     |                 |     |     |
| 4.0                                                                                 | 12.2            |      |     |                 |     |     |                 |     |     |                 |     |     |
| 4.5                                                                                 | 12.2            |      |     |                 |     |     |                 |     |     |                 |     |     |
| 5.0                                                                                 | 12.2            | 12.2 |     |                 |     |     |                 |     |     |                 |     |     |
| 6.0                                                                                 | 12.2            | 11.5 |     |                 |     |     |                 |     |     |                 |     |     |
| 7.0                                                                                 | 12.2            | 10.8 |     | 10.1            |     |     |                 |     |     |                 |     |     |
| 8.0                                                                                 | 12.2            | 10.2 | 7.4 | 10.1            |     |     |                 |     |     |                 |     |     |
| 9.0                                                                                 | 12.1            | 9.7  | 7.1 | 10.1            |     |     |                 |     |     |                 |     |     |
| 10.0                                                                                | 11.3            | 9.0  | 6.7 | 10.1            | 9.0 |     |                 |     |     |                 |     |     |
| 11.0                                                                                | 10.5            | 8.5  | 6.4 | 10.1            | 8.6 |     | 4.9             |     |     |                 |     |     |
| 12.0                                                                                | 9.6             | 8.0  | 6.2 | 10.1            | 8.3 |     | 4.9             |     |     | 4.4             |     |     |
| 14.0                                                                                | 8.1             | 7.1  | 5.8 | 9.3             | 7.6 | 6.7 | 4.9             |     |     | 4.4             |     |     |
| 16.0                                                                                | 7.0             | 6.5  |     | 8.5             | 7.1 | 6.3 | 4.9             | 4.9 |     | 4.4             | 4.4 |     |
| 18.0                                                                                |                 |      |     | 7.9             | 6.7 | 6.0 | 4.9             | 4.9 | 4.7 | 4.4             | 4.4 |     |
| 20.0                                                                                |                 |      |     | 7.4             | 6.3 | 5.7 | 4.9             | 4.8 | 4.5 | 4.4             | 4.4 | 4.2 |
| 22.0                                                                                |                 |      |     | 6.9             | 6.0 | 5.5 | 4.9             | 4.6 | 4.3 | 4.4             | 4.3 | 4.0 |
| 24.0                                                                                |                 |      |     | 6.5             | 5.7 | 5.2 | 4.7             | 4.4 | 4.1 | 4.4             | 4.1 | 3.9 |
| 26.0                                                                                |                 |      |     | 5.6             | 5.5 | 5.1 | 4.5             | 4.2 | 3.9 | 4.1             | 3.9 | 3.7 |
| 28.0                                                                                |                 |      |     | 4.8             | 5.2 | 4.9 | 4.3             | 4.0 | 3.8 | 3.9             | 3.8 | 3.6 |
| 30.0                                                                                |                 |      |     | 4.2             | 4.4 | 4.6 | 4.0             | 3.9 | 3.6 | 3.7             | 3.6 | 3.5 |
| 32.0                                                                                |                 |      |     | 3.6             | 3.8 | 4.0 | 3.7             | 3.7 | 3.5 | 3.5             | 3.4 | 3.3 |
| 34.0                                                                                |                 |      |     | 3.1             | 3.3 |     | 3.2             | 3.5 | 3.4 | 3.2             | 3.3 | 3.2 |
| 36.0                                                                                |                 |      |     | 2.7             | 2.8 |     | 2.8             | 3.0 | 3.2 | 2.7             | 3.0 | 3.1 |
| 38.0                                                                                |                 |      |     | 2.3             | 2.4 |     | 2.4             | 2.6 | 2.8 | 2.3             | 2.6 | 2.7 |
| 40.0                                                                                |                 |      |     | 2.0             |     |     | 2.0             | 2.2 | 2.4 | 2.0             | 2.2 | 2.3 |
| 42.0                                                                                |                 |      |     |                 |     |     | 1.7             | 1.9 | 2.0 | 1.7             | 1.9 | 2.0 |
| 44.0                                                                                |                 |      |     |                 |     |     | 1.4             | 1.6 | 1.7 | 1.4             | 1.6 | 1.7 |
| 46.0                                                                                |                 |      |     |                 |     |     | 1.2             | 1.3 |     | 1.1             | 1.3 | 1.4 |
| 48.0                                                                                |                 |      |     |                 |     |     | 1.0             | 1.1 |     | 0.9             | 1.0 |     |
| 50.0                                                                                |                 |      |     |                 |     |     | 0.7             | 0.8 |     | 0.7             | 0.8 |     |
| 52.0                                                                                |                 |      |     |                 |     |     | 0.6             | 0.6 |     | 0.5             | 0.6 |     |

|  m | 11.1 m + 18.0 m |     |     | 33.2 m + 18.0 m |     |     | 47.9 m + 18.0 m |     |     | 51.2 m + 18.0 m |     |     |
|---------------------------------------------------------------------------------------|-----------------|-----|-----|-----------------|-----|-----|-----------------|-----|-----|-----------------|-----|-----|
|                                                                                       | 0°              | 20° | 40° | 0°              | 20° | 40° | 0°              | 20° | 40° | 0°              | 20° | 40° |
| 3.5                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 4.0                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 4.5                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 5.0                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 6.0                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 7.0                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 8.0                                                                                   | 5.8             |     |     | 4.2             |     |     |                 |     |     |                 |     |     |
| 9.0                                                                                   | 5.8             |     |     | 4.2             |     |     |                 |     |     |                 |     |     |
| 10.0                                                                                  | 5.8             | 5.3 |     | 4.2             |     |     |                 |     |     |                 |     |     |
| 11.0                                                                                  | 5.8             | 5.0 |     | 4.2             |     |     |                 |     |     |                 |     |     |
| 12.0                                                                                  | 5.7             | 4.8 |     | 4.2             |     |     | 2.9             |     |     |                 |     |     |
| 14.0                                                                                  | 5.1             | 4.4 |     | 4.2             |     |     | 2.9             |     |     | 2.7             |     |     |
| 16.0                                                                                  | 4.7             | 4.1 | 3.2 | 4.2             | 4.2 |     | 2.9             |     |     | 2.7             |     |     |
| 18.0                                                                                  | 4.2             | 3.7 | 3.0 | 4.2             | 4.1 |     | 2.9             |     |     | 2.7             |     |     |
| 20.0                                                                                  | 3.7             | 3.4 | 2.8 | 4.2             | 3.9 | 3.2 | 2.9             | 2.9 |     | 2.7             |     |     |
| 22.0                                                                                  | 3.3             | 3.1 | 2.6 | 4.2             | 3.8 | 3.1 | 2.9             | 2.9 |     | 2.7             | 2.7 |     |
| 24.0                                                                                  | 3.0             | 2.9 | 2.5 | 4.2             | 3.6 | 3.0 | 2.9             | 2.9 |     | 2.7             | 2.7 |     |
| 26.0                                                                                  | 2.7             | 2.8 |     | 4.2             | 3.5 | 2.9 | 2.9             | 2.9 | 2.9 | 2.7             | 2.7 | 2.7 |
| 28.0                                                                                  |                 |     |     | 4.1             | 3.4 | 2.8 | 2.9             | 2.9 | 2.8 | 2.7             | 2.7 | 2.6 |
| 30.0                                                                                  |                 |     |     | 3.9             | 3.3 | 2.7 | 2.9             | 2.9 | 2.7 | 2.7             | 2.7 | 2.6 |
| 32.0                                                                                  |                 |     |     | 3.8             | 3.2 | 2.6 | 2.9             | 2.7 | 2.6 | 2.7             | 2.6 | 2.5 |
| 34.0                                                                                  |                 |     |     | 3.6             | 3.1 | 2.6 | 2.9             | 2.7 | 2.5 | 2.7             | 2.5 | 2.4 |
| 36.0                                                                                  |                 |     |     | 3.2             | 3.0 | 2.5 | 2.8             | 2.6 | 2.4 | 2.7             | 2.4 | 2.3 |
| 38.0                                                                                  |                 |     |     | 2.8             | 2.9 | 2.5 | 2.6             | 2.5 | 2.4 | 2.6             | 2.3 | 2.2 |
| 40.0                                                                                  |                 |     |     | 2.4             | 2.7 | 2.5 | 2.3             | 2.4 | 2.3 | 2.2             | 2.3 | 2.2 |
| 42.0                                                                                  |                 |     |     | 2.1             | 2.3 |     | 2.0             | 2.3 | 2.2 | 1.9             | 2.2 | 2.1 |
| 44.0                                                                                  |                 |     |     | 1.8             | 2.0 |     | 1.7             | 2.0 | 2.2 | 1.6             | 2.0 | 2.1 |
| 46.0                                                                                  |                 |     |     | 1.6             | 1.7 |     | 1.4             | 1.7 | 1.9 | 1.3             | 1.7 | 1.9 |
| 48.0                                                                                  |                 |     |     | 1.3             |     |     | 1.2             | 1.5 | 1.6 | 1.1             | 1.4 | 1.6 |
| 50.0                                                                                  |                 |     |     |                 |     |     | 1.0             | 1.2 | 1.4 | 0.9             | 1.2 | 1.3 |
| 52.0                                                                                  |                 |     |     |                 |     |     | 0.8             | 1.0 | 1.1 | 0.7             | 0.9 | 1.1 |
| 54.0                                                                                  |                 |     |     |                 |     |     | 0.6             | 0.8 |     | 0.5             | 0.7 | 0.9 |
| 56.0                                                                                  |                 |     |     |                 |     |     |                 | 0.6 |     |                 | 0.5 |     |

Tragfähigkeiten  
Lifting capacities  
Capacités de levage  
Capacidades de elevación




|  m | 11.1 m + 10.0 m |      |     | 33.2 m + 10.0 m |     |     | 47.9 m + 10.0 m |     |     | 51.2 m + 10.0 m |     |     |
|-------------------------------------------------------------------------------------|-----------------|------|-----|-----------------|-----|-----|-----------------|-----|-----|-----------------|-----|-----|
|                                                                                     | 0°              | 20°  | 40° | 0°              | 20° | 40° | 0°              | 20° | 40° | 0°              | 20° | 40° |
| 3.0                                                                                 | 12.2            |      |     |                 |     |     |                 |     |     |                 |     |     |
| 3.5                                                                                 | 12.0            |      |     |                 |     |     |                 |     |     |                 |     |     |
| 4.0                                                                                 | 12.2            |      |     |                 |     |     |                 |     |     |                 |     |     |
| 4.5                                                                                 | 12.2            |      |     |                 |     |     |                 |     |     |                 |     |     |
| 5.0                                                                                 | 12.2            | 12.2 |     |                 |     |     |                 |     |     |                 |     |     |
| 6.0                                                                                 | 12.2            | 11.5 |     |                 |     |     |                 |     |     |                 |     |     |
| 7.0                                                                                 | 12.2            | 10.8 |     | 10.1            |     |     |                 |     |     |                 |     |     |
| 8.0                                                                                 | 12.2            | 10.2 | 7.4 | 10.1            |     |     |                 |     |     |                 |     |     |
| 9.0                                                                                 | 12.1            | 9.7  | 7.1 | 10.1            |     |     |                 |     |     |                 |     |     |
| 10.0                                                                                | 11.3            | 9.0  | 6.7 | 10.1            | 9.0 |     |                 |     |     |                 |     |     |
| 11.0                                                                                | 10.5            | 8.5  | 6.4 | 10.1            | 8.6 |     | 4.9             |     |     |                 |     |     |
| 12.0                                                                                | 9.6             | 8.0  | 6.2 | 10.1            | 8.3 |     | 4.9             |     |     | 4.4             |     |     |
| 14.0                                                                                | 8.1             | 7.1  | 5.8 | 9.3             | 7.6 | 6.7 | 4.9             |     |     | 4.4             |     |     |
| 16.0                                                                                | 7.0             | 6.5  |     | 8.5             | 7.1 | 6.3 | 4.9             | 4.9 |     | 4.4             | 4.4 |     |
| 18.0                                                                                |                 |      |     | 7.9             | 6.7 | 6.0 | 4.9             | 4.9 | 4.7 | 4.4             | 4.4 |     |
| 20.0                                                                                |                 |      |     | 7.4             | 6.3 | 5.7 | 4.9             | 4.8 | 4.5 | 4.4             | 4.4 | 4.2 |
| 22.0                                                                                |                 |      |     | 6.1             | 6.0 | 5.5 | 4.9             | 4.6 | 4.3 | 4.4             | 4.3 | 4.0 |
| 24.0                                                                                |                 |      |     | 5.2             | 5.6 | 5.2 | 4.7             | 4.4 | 4.1 | 4.4             | 4.1 | 3.9 |
| 26.0                                                                                |                 |      |     | 4.3             | 4.7 | 5.0 | 4.5             | 4.2 | 3.9 | 4.1             | 3.9 | 3.7 |
| 28.0                                                                                |                 |      |     | 3.6             | 4.0 | 4.2 | 3.8             | 4.0 | 3.8 | 3.7             | 3.8 | 3.6 |
| 30.0                                                                                |                 |      |     | 3.0             | 3.3 | 3.5 | 3.2             | 3.6 | 3.6 | 3.1             | 3.5 | 3.5 |
| 32.0                                                                                |                 |      |     | 2.5             | 2.8 | 2.9 | 2.7             | 3.0 | 3.2 | 2.6             | 3.0 | 3.2 |
| 34.0                                                                                |                 |      |     | 2.1             | 2.3 |     | 2.2             | 2.5 | 2.7 | 2.2             | 2.5 | 2.7 |
| 36.0                                                                                |                 |      |     | 1.7             | 1.9 |     | 1.8             | 2.1 | 2.3 | 1.8             | 2.1 | 2.3 |
| 38.0                                                                                |                 |      |     | 1.4             | 1.5 |     | 1.5             | 1.7 | 1.9 | 1.4             | 1.7 | 1.9 |
| 40.0                                                                                |                 |      |     | 1.1             |     |     | 1.2             | 1.4 | 1.5 | 1.1             | 1.4 | 1.5 |
| 42.0                                                                                |                 |      |     |                 |     |     | 0.9             | 1.1 | 1.2 | 0.9             | 1.1 | 1.2 |
| 44.0                                                                                |                 |      |     |                 |     |     | 0.7             | 0.8 | 0.9 | 0.6             | 0.8 | 0.9 |
| 46.0                                                                                |                 |      |     |                 |     |     |                 | 0.6 |     |                 | 0.5 | 0.6 |

|  m | 11.1 m + 18.0 m |     |     | 33.2 m + 18.0 m |     |     | 47.9 m + 18.0 m |     |     | 51.2 m + 18.0 m |     |     |
|---------------------------------------------------------------------------------------|-----------------|-----|-----|-----------------|-----|-----|-----------------|-----|-----|-----------------|-----|-----|
|                                                                                       | 0°              | 20° | 40° | 0°              | 20° | 40° | 0°              | 20° | 40° | 0°              | 20° | 40° |
| 3.5                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 4.0                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 4.5                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 5.0                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 6.0                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 7.0                                                                                   | 5.8             |     |     |                 |     |     |                 |     |     |                 |     |     |
| 8.0                                                                                   | 5.8             |     |     | 4.2             |     |     |                 |     |     |                 |     |     |
| 9.0                                                                                   | 5.8             |     |     | 4.2             |     |     |                 |     |     |                 |     |     |
| 10.0                                                                                  | 5.8             | 5.3 |     | 4.2             |     |     |                 |     |     |                 |     |     |
| 11.0                                                                                  | 5.8             | 5.0 |     | 4.2             |     |     |                 |     |     |                 |     |     |
| 12.0                                                                                  | 5.7             | 4.8 |     | 4.2             |     |     | 2.9             |     |     |                 |     |     |
| 14.0                                                                                  | 5.1             | 4.4 |     | 4.2             |     |     | 2.9             |     |     | 2.7             |     |     |
| 16.0                                                                                  | 4.7             | 4.1 | 3.2 | 4.2             | 4.2 |     | 2.9             |     |     | 2.7             |     |     |
| 18.0                                                                                  | 4.2             | 3.7 | 3.0 | 4.2             | 4.1 |     | 2.9             |     |     | 2.7             |     |     |
| 20.0                                                                                  | 3.7             | 3.4 | 2.8 | 4.2             | 3.9 | 3.2 | 2.9             | 2.9 |     | 2.7             |     |     |
| 22.0                                                                                  | 3.3             | 3.1 | 2.6 | 4.2             | 3.8 | 3.1 | 2.9             | 2.9 |     | 2.7             | 2.7 |     |
| 24.0                                                                                  | 3.0             | 2.9 | 2.5 | 4.2             | 3.6 | 3.0 | 2.9             | 2.9 |     | 2.7             | 2.7 |     |
| 26.0                                                                                  | 2.7             | 2.8 |     | 4.2             | 3.5 | 2.9 | 2.9             | 2.9 | 2.9 | 2.7             | 2.7 | 2.7 |
| 28.0                                                                                  |                 |     |     | 4.1             | 3.4 | 2.8 | 2.9             | 2.9 | 2.8 | 2.7             | 2.7 | 2.6 |
| 30.0                                                                                  |                 |     |     | 3.6             | 3.3 | 2.7 | 2.9             | 2.9 | 2.7 | 2.7             | 2.7 | 2.6 |
| 32.0                                                                                  |                 |     |     | 3.1             | 3.2 | 2.6 | 2.9             | 2.7 | 2.6 | 2.7             | 2.6 | 2.5 |
| 34.0                                                                                  |                 |     |     | 2.6             | 3.1 | 2.6 | 2.5             | 2.7 | 2.5 | 2.4             | 2.5 | 2.4 |
| 36.0                                                                                  |                 |     |     | 2.2             | 2.6 | 2.5 | 2.1             | 2.6 | 2.4 | 2.0             | 2.4 | 2.3 |
| 38.0                                                                                  |                 |     |     | 1.9             | 2.2 | 2.5 | 1.8             | 2.2 | 2.4 | 1.7             | 2.1 | 2.2 |
| 40.0                                                                                  |                 |     |     | 1.6             | 1.9 | 2.0 | 1.4             | 1.9 | 2.2 | 1.4             | 1.8 | 2.1 |
| 42.0                                                                                  |                 |     |     | 1.3             | 1.5 |     | 1.2             | 1.5 | 1.8 | 1.1             | 1.5 | 1.8 |
| 44.0                                                                                  |                 |     |     | 1.0             | 1.2 |     | 0.9             | 1.3 | 1.5 | 0.8             | 1.2 | 1.5 |
| 46.0                                                                                  |                 |     |     | 0.8             | 1.0 |     | 0.7             | 1.0 | 1.2 | 0.6             | 0.9 | 1.2 |
| 48.0                                                                                  |                 |     |     | 0.6             |     |     | 0.5             | 0.8 | 0.9 |                 | 0.7 | 0.9 |
| 50.0                                                                                  |                 |     |     |                 |     |     |                 | 0.5 | 0.7 |                 | 0.5 | 0.7 |
| 52.0                                                                                  |                 |     |     |                 |     |     |                 |     | 0.5 |                 |     |     |

Hubhöhen  
Lifting heights  
Hauteurs de levage  
Alturas de elevación

Tragfähigkeiten  
Lifting capacities  
Capacités de levage  
Capacidades de elevación







**22.5t** **DIN / ISO / EN**

| → m  | 11.1 m* | 14.8 m* | 18.5 m* |
|------|---------|---------|---------|
| 3.0  | 17.1    | 17.4    | 17.7    |
| 3.5  | 15.6    | 16.0    | 16.2    |
| 4.0  | 14.3    | 14.7    | 14.9    |
| 4.5  | 13.2    | 13.6    | 13.8    |
| 5.0  | 12.2    | 12.6    | 12.8    |
| 6.0  | 10.5    | 10.9    | 11.2    |
| 7.0  | 9.1     | 9.6     | 9.8     |
| 8.0  | 8.0     | 8.5     | 8.7     |
| 9.0  | 7.1     | 7.5     | 7.8     |
| 10.0 |         | 6.7     | 7.0     |
| 11.0 |         | 6.1     | 6.3     |
| 12.0 |         | 5.5     | 5.8     |
| 14.0 |         |         | 4.8     |
| 16.0 |         |         | 3.9     |

\* Oberwagenverriegelung eingelegt \* Superstructure verrouillée  
\* Superstructure locked \* Bloqueo de superestructura





**16.3t** **DIN / ISO / EN**

| → m  | 11.1 m* | 14.8 m* | 18.5 m* |
|------|---------|---------|---------|
| 3.0  | 17.3    | 17.7    | 18.0    |
| 3.5  | 15.8    | 16.2    | 16.5    |
| 4.0  | 14.5    | 14.9    | 15.2    |
| 4.5  | 13.4    | 13.8    | 14.1    |
| 5.0  | 12.4    | 12.8    | 13.1    |
| 6.0  | 10.7    | 11.1    | 11.4    |
| 7.0  | 9.3     | 9.8     | 10.0    |
| 8.0  | 8.2     | 8.6     | 8.9     |
| 9.0  | 6.8     | 7.6     | 8.0     |
| 10.0 |         | 6.4     | 6.9     |
| 11.0 |         | 5.5     | 5.9     |
| 12.0 |         | 4.7     | 5.1     |
| 14.0 |         |         | 3.9     |
| 16.0 |         |         | 3.0     |

\* Oberwagenverriegelung eingelegt \* Superstructure verrouillée  
\* Superstructure locked \* Bloqueo de superestructura





**10.2t** **DIN / ISO / EN**

| → m  | 11.1 m* | 14.8 m* | 18.5 m* |
|------|---------|---------|---------|
| 3.0  | 17.6    | 18.0    | 18.3    |
| 3.5  | 16.1    | 16.5    | 16.7    |
| 4.0  | 14.8    | 15.2    | 15.4    |
| 4.5  | 13.6    | 14.0    | 14.3    |
| 5.0  | 12.6    | 13.0    | 13.3    |
| 6.0  | 10.3    | 11.1    | 11.6    |
| 7.0  | 8.0     | 8.8     | 9.3     |
| 8.0  | 6.4     | 7.2     | 7.6     |
| 9.0  | 5.1     | 5.9     | 6.4     |
| 10.0 |         | 4.9     | 5.4     |
| 11.0 |         | 4.1     | 4.5     |
| 12.0 |         | 3.5     | 3.9     |
| 14.0 |         |         | 2.9     |
| 16.0 |         |         | 2.0     |

\* Oberwagenverriegelung eingelegt \* Superstructure verrouillée  
\* Superstructure locked \* Bloqueo de superestructura





**6.0t** **DIN / ISO / EN**

| → m  | 11.1 m* | 14.8 m* | 18.5 m* |
|------|---------|---------|---------|
| 3.0  | 17.8    | 18.2    | 18.5    |
| 3.5  | 16.3    | 16.7    | 16.9    |
| 4.0  | 15.0    | 15.4    | 15.6    |
| 4.5  | 13.2    | 14.1    | 14.5    |
| 5.0  | 11.3    | 12.2    | 12.7    |
| 6.0  | 8.4     | 9.3     | 9.8     |
| 7.0  | 6.5     | 7.3     | 7.8     |
| 8.0  | 5.1     | 5.8     | 6.3     |
| 9.0  | 4.0     | 4.7     | 5.2     |
| 10.0 |         | 3.9     | 4.3     |
| 11.0 |         | 3.2     | 3.6     |
| 12.0 |         | 2.6     | 3.0     |
| 14.0 |         |         | 2.1     |
| 16.0 |         |         | 1.4     |

\* Oberwagenverriegelung eingelegt \* Superstructure verrouillée  
\* Superstructure locked \* Bloqueo de superestructura





**5.1t** **DIN / ISO / EN**

| → m  | 11.1 m* | 14.8 m* | 18.5 m* |
|------|---------|---------|---------|
| 3.0  | 17.9    | 18.3    | 18.5    |
| 3.5  | 16.4    | 16.7    | 17.0    |
| 4.0  | 14.9    | 15.4    | 15.7    |
| 4.5  | 12.4    | 13.3    | 13.9    |
| 5.0  | 10.6    | 11.5    | 12.0    |
| 6.0  | 7.9     | 8.7     | 9.2     |
| 7.0  | 6.0     | 6.8     | 7.3     |
| 8.0  | 4.7     | 5.4     | 5.9     |
| 9.0  | 3.6     | 4.4     | 4.8     |
| 10.0 |         | 3.5     | 4.0     |
| 11.0 |         | 2.9     | 3.3     |
| 12.0 |         | 2.3     | 2.8     |
| 14.0 |         |         | 1.9     |
| 16.0 |         |         | 1.2     |

\* Oberwagenverriegelung eingelegt \* Superstructure verrouillée  
\* Superstructure locked \* Bloqueo de superestructura